FLOOR LEVEL 9 COMPOSITION

L9 SALTOS not up to competitive level ↑0.2

		Pass (1)	Pass (2)	Pass (3)	
3-pass routines	0.0	С	C	C	
		C	C	BB DIRECT	
	0.05	С	С	B A DIRECT	
	0.10	С	С	В	
		C	C	BA INDIRECT	
		C	BB DIRECT	BB DIRECT	
	0.15	С	В	BB DIRECT	
	0.20	No C saltos or less difficult than above			

L9 DANCE not up to competitive level ↑0.20

Expected 0.0	CC 2 C-dance elements or more
0.05	СВ
0.10	С
0.15	ВВ
0.20	В

L9 LAST SALTO in Acro connection or isolated 个0.1

Expected 0.0	C	or BB
0.05	BB INDIRECT	or BA DIRECT
0.10	BA INDIRECT	or B or A or less

Pass (1)		Pass (1)	Pass (2)
	0.0	C B DIRECT	CB DIRECT
	0.05	C B DIRECT	CB INDIRECT
ines	0.10	C B DIRECT	С
2-pass routines		C A DIRECT	CB INDIRECT
2-pas	0.15	C A DIRECT	С
		CA INDIRECT CA or CB	С
	0.20	No C saltos or less difficult than above	

A 1-foot take-off will NOT be considered a salto for Special Requirement or Composition purposes.

(Will appear as an aerial or side salto)

FLOOR EXERCISE COMPOSITION

↑0.10 Insufficient use of the Floor Exercise area		
	(Spatially - Floor Pattern)	
0.10	Failure to perform Saltos in 2 different directions: BWD and FWD/SWD	
<u>0.10</u>	Overuse of dance elements with same shape	
	More than 2 ea: Tuck/wolf or straddle	
<u>0.20</u>	Lack of a turn on one foot, minimum B	
0.30	Lack of a B-salto (L9)	
	(in addition to lack of SR)	
	2/2/2222 7 11 5 1	

8/2/2023 D.Hanford